

Preparation and characterization of mefenamic acid loaded Polymeric nanoparticles by solvent evaporation and Ionotropic gelation techniques

Krishna Sailaja

Copyright: 2021 Shailaja K. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract

Amongst different living organisms studied as potential candidates for the green synthesis of copper nanoparticles, algal biomass is presented as a novel and easy-to-handle method. However, the role of specific biomolecules and their contribution as reductant and capping agents has not yet been described. This contribution reports a green synthesis method to obtain copper oxide nanoparticles (CuO-NPs) using separated protein fractions from an aqueous extract of brown algae *Macrocystis pyrifera* through size exclusion chromatography (HPLC-SEC). Proteins were detected by a UV/VIS diode array, time-based fraction collection was carried out, and each collected fraction was used to evaluate the synthesis of CuO-NPs. The characterization of CuO-NPs was evaluated by Dynamic Light Scattering (DLS), Z-potential, Fourier Transform Infrared (FTIR), Transmission Electron Microscope (TEM) equipped with Energy Dispersive X-ray Spectroscopy (EDS) detector. Low Molecular Weight (LMW) and High Molecular Weight (HMW) protein fractions were able to synthesize spherical CuO-NPs. TEM images showed that the metallic core present in the observed samples ranged from 2 to 50 nm in diameter, with spherical nanostructures present in all containing protein samples. FTIR measurements showed functional groups from proteins having a pivotal role in the reduction and stabilization of the nanoparticles. The highly negative zeta potential average values from obtained nanoparticles suggest high stability, expanding the range of possible applications. This facile and novel protein-assisted method for the green synthesis of CuO-NPs may also provide a suitable tool to synthesize other nanoparticles that have different application areas..

Biography:

Working as Associate editor for Pharmaceutical Biotechnology published by Bio info publications working as Associate editor for Pharmaceutical Biotechnology published by Bio info publications.

References

1. A.Krishna Shailaja. A Comparative Study of Aspirin Loaded Bovine Serum Albumin Nanoparticles Prepared by Desolation Technique Using Various Desolvating Agents. Nano biomedicine and engineering
2. A.Krishna sailaja. A Comparative study of Aspirin loaded Alginate nanoparticles prepared by desolvation technique using acetone and ethanol as desolvating agents. Nano science & Nanotechnology-Asia.2016.
3. A.Krishna Shailaja, R.supraja, Ayesha siddiqua. Comparison of mefenamic acid nanoparticles by desolvation technique. Micro and nano system.2016.vol 8 (3), 1

Citation: Krishna Sailaja, Preparation and characterization of mefenamic acid loaded Polymeric nanoparticles by solvent evaporation and Ionotropic gelation techniques; Materials Research & Technology; November 15, 2020; Osaka, Japan.