

## Proposition of new cold fusion reactor based on the mechanism with the flat wafer with Nano structure and with the electrode to control the surface potential of metals

Noriyuki Kodama

Tokyo Japan Independent researcher

**Copyright:** 2021 Araya-Castro K. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

### Abstract

Amongst different living organisms studied as potential candidates for the green synthesis of copper nanoparticles, algal biomass is presented as a novel and easy-to-handle method. However, the role of specific biomolecules and their contribution as reductant and capping agents has not yet been described. This contribution reports a green synthesis method to obtain copper oxide nanoparticles (CuO-NPs) using separated protein fractions from an aqueous extract of brown algae *Macrocystis pyrifera* through size exclusion chromatography (HPLC-SEC). Proteins were detected by a UV/VIS diode array, time-based fraction collection was carried out, and each collected fraction was used to evaluate the synthesis of CuO-NPs. The characterization of CuO-NPs was evaluated by Dynamic Light Scattering (DLS), Z-potential, Fourier Transform Infrared (FTIR), Transmission Electron Microscope (TEM) equipped with Energy Dispersive X-ray Spectroscopy (EDS) detector. Low Molecular Weight (LMW) and High Molecular Weight (HMW) protein fractions were able to synthesize spherical CuO-NPs. TEM images showed that the metallic core present in the observed samples ranged from 2 to 50 nm in diameter, with spherical nanostructures present in all containing protein samples. FTIR measurements showed functional groups from proteins having a pivotal role in the reduction and stabilization of the nanoparticles. The highly negative zeta potential average values from obtained nanoparticles suggest high stability, expanding the range of possible applications. This facile and novel protein-assisted method for the green synthesis of CuO-NPs may also provide a suitable tool to synthesize other nanoparticles that have different application areas..

### Biography:

Noriyuki Kodama has her expertise in nuclear physics at Tokyo Institute of Technology, has the vast experience of semiconductor process development.

### References

1. Masuhiro YAMAGUCH "Applied Physical Properties of Metal Hydrides" <http://www.hess.jp/Search/data/11-02-030.pdf>
2. D.G. Westlake, J. Less-Common Met. 90(1983)251.
3. A.C. Switendick. Z. Phys. Chem. N. F. 117(1979)89
4. A. The role of  $\pi$ -blocking hydride ligands in a pressure-induced insulator-to-metal phase transition in SrVO<sub>2</sub>H, Nature Communications (2017), 8, <https://repository.kulib.kyoto-u.ac.jp/dspace/bitstream/2433/227748/1/s41467-017-01301-0.pdf> <https://www.jst.go.jp/pr/announce/20171031/index.html>

**Citation:** Noriyuki Kodama, Proposition of new cold fusion reactor based on the mechanism with the flat wafer with Nano structure and with the electrode to control the surface potential of metals; Materials Research & Technology; May 22, 2021; Osaka, Japan