


23<sup>rd</sup> International Conference on **Neurology & Neurophysiology**  
&  
24<sup>th</sup> International Conference on **Neurosurgery and Neuroscience**  
March 18-19, 2019 Edinburgh, Scotland



## Jinwei Zhang

University of Exeter, UK

### Activation of K<sup>+</sup>-Cl<sup>-</sup>-cotransporter KCC2 by inhibiting the WNK-SPAK kinase signalling as a novel therapeutic strategy for epilepsy

The Cl<sup>-</sup>-extruding transporter KCC2 (SLC12A5) critically modulates GABA<sub>A</sub> receptor signaling via its effect on neuronal Cl<sup>-</sup> homeostasis. Previous studies have shown that KCC2 was downregulated in both epileptic patients and various epileptic animal models. We discovered that the in vitro dual phosphorylation of Thr906 and Thr1007 in the intracellular carboxyl (C)-terminal domain of KCC2, mediated by the Cl<sup>-</sup>-sensitive WNK-SPAK serine-threonine protein kinase complex, maintains the depolarizing action of GABA in immature neurons by antagonizing KCC2 Cl<sup>-</sup> extrusion capacity. GABA<sub>A</sub>R-mediated inhibition confines KCC2 to the plasma membrane, while antagonizing inhibition reduces KCC2 surface expression by increasing the lateral diffusion and endocytosis of the transporter. This mechanism utilizes Cl<sup>-</sup> as an intracellular secondary messenger and is dependent on phosphorylation of KCC2 at threonines 906 and 1007 by the Cl<sup>-</sup>-sensing kinase WNK1. We propose this mechanism contributes to the homeostasis of synaptic inhibition by rapidly adjusting neuronal [Cl<sup>-</sup>]<sub>i</sub> to GABA<sub>A</sub>R activity. We further demonstrate here that this signaling pathway is rapidly and massively activated in an acute epilepsy model. This indicates that dephosphorylation of KCC2 at Thr906 and Thr1007 is a potent activator of KCC2 activity, and small molecular targets WNK-SAPK kinase signaling may be a novel therapeutic strategy for epilepsy.

### Biography

Jinwei Zhang has completed his PhD at the age of 31 years from Newcastle University and postdoctoral studies from MRC Protein Phosphorylation and Ubiquitylation Unit, University of Dundee. He is the Principal Investigator and Lecturer in Biomedical Sciences at the University of Exeter. He has published more than 45 papers in reputed journals and has been serving as an editorial board member or editor of many reputed journals.

[j.zhang5@exeter.ac.uk](mailto:j.zhang5@exeter.ac.uk)

### Notes: